



TLFLANGE 天龙法兰
TIANLONG FLANGE

不锈钢法兰专业制造商

PROFESSIONAL MANUFACTURER OF STAINLESS STEEL FLANGE



温州天龙锻造有限公司
WENZHOU TIANLONG FORGING CO., LTD

地址/Add: 温州市经济技术开发区明珠路687号2车间1楼
1st Floor, Workshop 2, No. 687, Mingzhu Road, Wenzhou Economic and Technological Development Zone
手机/Mob: 159 5875 7818 130 9196 7128
电话/Tel: 0577-86993678

www.cntlfl.com



企业官网/Web

www.cntlfl.com

TLFLANGE 天龙法兰
TIANLONGFLANGE

天龙法兰 品质放心

10+

年/year
PROFESSIONAL
STAINLESS STEEL FLANGE MANUFACTURER

专业不锈钢法兰制造商

COMPANY PROFILE 企业简介



温州天龙锻造有限公司创建于2013年，是一家集研发、制造、销售、服务于一体的不锈钢法兰集成服务商。企业设备精良、工艺先进，备有大型锻压机、大型数控立车、数控车床、数控高速钻床、龙门加工中心及多种先进配套检验检测设备。形成集冶炼、锻压、加工一条龙生产线，为规范企业实力与品质，还先后获得国家特种设备制造许可证（证号TS2733K57-2025），ISO9001质量体系认证（证号202222Q20006ROS），AAA级质量信用企业及产品质量达标企业，保证企业在行业中产品品质优势更具竞争力。

企业产品广泛用于制药、石油、化工、食品、冶金、建筑、电力等工程行业。天龙法兰始终贯彻“诚信守法、稳健经营、互利互惠、务实创新”的经营宗旨，致力于成为不锈钢法兰优质的集成服务商。经过多年市场拓展，也获得广大用户的认可和支持。

主营产品：不锈钢平焊法兰、带颈法兰、对焊法兰、环连接法兰、承插法兰、松套法兰、螺纹法兰、压力容器法兰、管板、大口径法兰、非标法兰定制、不锈钢管件等。

天龙法兰竭诚欢迎新老客户惠顾，愿与您忠诚合作，共创辉煌未来！

Wenzhou Tianlong Forging Co., Ltd., founded in 2013, is a stainless steel flange integrated service provider integrating R&D, manufacturing, sales and service. The enterprise has excellent equipment and advanced technology, equipped with large forging press, large CNC vertical lathe, CNC lathe, CNC high-speed drilling machine, gantry machining center and a variety of advanced supporting inspection and testing equipment. A production line integrating smelting, forging and processing has been formed. In order to standardize the strength and quality of the enterprise, it has also successively obtained the National Special Equipment Manufacturing License (Certificate No. TS2733K57-2025), ISO9001 Quality System Certification (Certificate No. 202222Q20006ROS), AAA quality credit enterprise and product quality standard enterprise, ensuring that the enterprise has more competitive advantages in product quality in the industry.

Our products are widely used in pharmaceutical, petroleum, chemical, food, metallurgy, construction, power and other engineering industries. Tianlong Flange always carries out the business purpose of "integrity and law-abiding, steady operation, mutual benefit and pragmatic innovation", and is committed to becoming a high-quality integrated service provider of stainless steel flanges. After years of market expansion, it has also been recognized and supported by the majority of users.

Main products: stainless steel slip on flange, neck flange, butt welding flange, ring joint flange, socket flange, loose flange, threaded flange, pressure vessel flange, tube plate, large diameter flange, non-standard flange customization, stainless steel pipe fittings, etc.


Tianlong Flange sincerely welcomes new and old customers, and is willing to cooperate with you faithfully to create a brilliant future!

HONORS QUALIFICATIONS 荣誉资质



提高全员的质量意识，强化科学的质量管理，生产让顾客满意的产品，提供周密的突出“服务”是我们坚定不移的方针。

It is our unwavering policy to improve the quality awareness of all employees, strengthen scientific quality management, produce products that satisfy customers, and provide careful and outstanding "services".




SEIKO MANUFACTURING

精工智造

自有锻造车间及锻造流水线
品控与成本自由可控

Own forging workshop and forging assembly line
Quality control and free and controllable cost



影响产品质量的三大关键是
The three key factors affecting product quality are

原材料
合格化

加工流程
精细化


品质检测
标准化

加工及成品
天龙法兰所有产品均采用高精度
数控加工制造
每件成品法兰都需检查入库
保障产品材质及公差达标

Processing and finished products
All products of Tianlong flange adopt high precision
CNC machining and manufacturing
Each finished flange shall be checked and warehoused
Ensure that product materials and tolerances meet
the standards



APPLICATION AREA 应用领域



应用领域将不断拓展

APPLICATION FIELDS WILL CONTINUE TO EXPAND



MARKETING NETWORK 营销网络



ALL OVER CHINA, CLOSE TO HUNDREDS
OF MILLIONS OF CHINESE "HEARTS"
遍布华夏 紧贴亿万中国“心”

产品远销美国, 德国, 意大利, 新加坡, 加拿大, 墨西哥, 日本, 韩国, 马来西亚, 印度尼西亚, 南非, 巴西以及中东等国际市场。

Products are exported to the United States, Germany, Italy, Singapore, Canada, Mexico, Japan, South Korea, Malaysia, Indonesia, South Africa, Brazil and the Middle East and other international markets.

科学合理的设计

Scientific and reasonable design

1

优质的制造材料

High quality manufacturing materials

2

先进的生产工艺

Advanced production process

3

全面的安全防护

Comprehensive safety protection

4

TABLE OF CONTENTS
目录

PROFESSIONAL
MANUFACTURER OF STAINLESS
STEEL FLANGE
不锈钢法兰专业制造商

001-004 产品展示
PRODUCT DISPLAY

005-052 钢制管法兰
STEEL PIPE FLANGES

(突面、凹面、凸面、榫面、槽面) 密封面尺寸	Sealing surface size	005-006
HG/T20593-2009(PL) 板式平焊钢制管法兰	Plate flat welded steel pipe flange	007-009
HG/T20594-2009(SO) 带颈平焊钢制管法兰	Flat welded steel pipe flange with neck	010-012
HG/T20595-2009(WN) 带颈对焊钢制管法兰	Butt welded steel pipe flange with neck	013-016
HG/T20597-2009(SW) 承插焊钢制管法兰	Socket welded steel pipe flange	017-018
HG/T20598-2009(Th) 螺纹钢制管法兰	Rebar pipe flange	019-021
HG/T20599-2009(PJ/SE) 对焊环松套钢制管法兰	Butt weld ring loose sleeve steel pipe flange	022-024
HG/T20600-2009(PJ/RJ) 平焊环松套钢制管法兰	Flat welded ring loose sleeve steel pipe flange	025-026
HG/T20601-2009(BL) 钢制管法兰盖	Steel pipe flange cover	027-030
法兰尺寸公差	Flange size tolerance	031-032
突面法兰的密封面尺寸	Sealing surface size of raised face flange	033-034
环连接面 (RJ)法兰的密封面尺寸	Ring connection surface (RJ) flange sealing surface size	035-036
HG/T20616-2009(SO) 带颈平焊钢制管法兰	Flat Welded Steel Pipe Flange With Neck	037-039
HG/T20617-2009(WN) 带颈对焊钢制管法兰	Butt Welding Steel Pipe Flange With Neck	040-043
HG/T20619-2009(SW) 承插焊钢制管法兰	Socket Welded Steel Pipe Flange	044-045

005-052 钢制管法兰
STEEL PIPE FLANGES

HG/T20620-2009(Th) 螺纹钢制管法兰	Rebar Pipe Flange	046
HG/T20621-2009(LF/SE) 对焊环松套钢制管法兰 (带颈松套LF/对焊环SE)	Butt Ring Loose Sleeve Steel Pipe Flange (If With Neck Loose Sleeve/butt Ring Se)	047-048
HG/T20622-2009(BL) 钢制管法兰盖	Steel Pipe Flange Cover	049-052

053-061 压力容器法兰
PRESSURE VESSEL FLANGE

(NB/T 47021-2010) 甲型平焊法兰	A-type Flat Welding Flange	053-054
NB/T47022-2012(JB/T 4702-2010) 乙型平焊法兰	Type B Flat Welding Flange	055-056
NB/T47023-2012(JB/T 4703-2000) 长颈对焊法兰	Long Neck Butt Welding Flange	057-061

材料汇总表	Material list	062
ANSIB36.10、B36.19 外径尺寸和壁厚表	Table Of Outer Diameter And Wall Thickness	063
09中外主要奥氏体不锈钢对照表	09 Comparison Table Of Main Austenitic Stainless Steels At Home And Abroad	064
常用不锈钢化学元素成份表	Commonly Used Stainless Steel Chemical Element Composition Table	065
锻件力学性能	Mechanical Properties Of Forgings	066
不锈钢化学元素的作用	The Role Of Stainless Steel Chemical Elements	067
售后服务和质量保证承诺	After-sales service and quality assurance commitment	068

板式平焊法兰

PLATE FLAT WELDING FLANGE

产品材质:

SS304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:

DN15mm-DN2000mm

产品概述:

具有良好的综合性能, 所以它广泛用于化工、建筑、给水、排水、石油、轻重工业、冷冻、卫生、水暖、消防、电力、航天、造船等基础工程。

Product material:

SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:

DN15mm-DN2000mm

Product description:

It has good comprehensive performance, so it is widely used in basic projects such as chemical industry, construction, water supply, drainage, petroleum, light and heavy industry, freezing, sanitation, plumbing, firefighting, electricity, aerospace, shipbuilding, etc.



带颈对焊法兰

WELDED FLANGE WITH NECK

产品材质:

SS304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:

DN15mm-DN2000mm

产品概述:

由于锥颈的过渡结构及对接焊连接, 使法兰的强度及刚度得到加强, 密封性比平焊法兰好。适用于压力、温度较高或对密封要求高的场合。

Product material:

SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:

DN15mm-DN2000mm

Product description:

Due to the transition structure of the cone neck and the butt welding connection, the strength and rigidity of the flange are strengthened, and the sealing performance is better than that of the flat welded flange. It is suitable for occasions with high pressure, high temperature or high sealing requirements.



带颈平焊法兰

WELDED FLANGE WITH NECK

产品材质:

SS304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:

DN15mm-DN2000mm

产品概述:

带颈平焊法兰也属于平焊法兰, 因为有个短颈, 从而提高了法兰的强度改善了法兰的承载力度。所以可以用于更高压力的管道上。

Product material:

SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:

DN15mm-DN2000mm

Product description:

The flat welded flange with a neck is also a flat welded flange, because it has a short neck, which improves the strength of the flange and improves the bearing strength of the flange. So it can be used on higher pressure pipes.



法兰盖

FLANGE COVER

产品材质:

SS304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:

DN15mm-DN2000mm

产品概述:

是中间不带孔的法兰, 供封住管道堵头用。

Product material:

SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:

DN15mm-DN2000mm

Product description:

It is a flange without a hole in the middle, which is used to seal the pipe plug.



管板 TUBE SHEET

产品材质:
SS304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:
DN15mm-DN2000mm

产品概述:
是换热器中起到固定管子以及密封介质作用的圆钢。将管子穿入焊住固定，起这样作用的一种配件。

Product material:
SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:
DN15mm-DN2000mm

Product description:
It is round steel that plays a role of fixing pipes and sealing medium in the heat exchanger. A fitting that pierces the tube and welds it for fixing.

大口径法兰 LARGE DIAMETER FLANGE

产品材质:
SS304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:
DN15mm-DN2000mm

产品概述:
大口径法兰是法兰中的一种，在机械行业、化工行业、风电行业、污水处理行业中普遍使用和推广，得到用户的好评和青睐，大口径法兰的用途广泛生产工艺分为卷制和锻制。

Product material:
SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:
DN15mm-DN2000mm

Product description:
Product Overview Large-diameter flange is one of the flanges. It is widely used and promoted in the machinery industry, chemical industry, wind power industry, and sewage treatment industry. It has been praised and favored by users. The use of large-diameter flange is widely used For rolling and forging.

非标法兰 NON-STANDARD FLANGE

产品材质:
Ss304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:
DN15mm-DN2000mm

产品概述:
非标法兰是根据不同使用环境来制定的法兰。

Product material:
SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:
DN15mm-DN2000mm

Product description:
Non-standard flanges are flanges formulated according to different usage environments.

压力容器法兰 PRESSURE VESSEL FLANGE

产品材质:
Ss304, 304L, 316, 316L, 2205, 904L及特材定制。

产品口径:
DN15mm-DN2000mm

产品概述:
筒体与封头、筒体与筒体或封头与管板之间连接的法兰，与管法兰作用相同，外形相似，但因公称直径的定义不同，不能互换。

Product material:
SS304, 304L, 316, 316L, 2205, 904L and special materials are customized.

Product caliber:
DN15mm-DN2000mm

Product description:
Flanges connected between cylinder and head, cylinder and cylinder or head and tubesheet have the same function and shape as pipe flanges, but cannot be interchanged due to different definitions of nominal diameter.